

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	(archiv\$3 or mov\$3) with lock adj object with first with second	USPAT	OR	OFF	2008/01/06 12:38
S2	14	(archiv\$3 or mov\$3) with lock adj object with first with second	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 12:41
S3	16	(archiv\$3 or mov\$3 or transfer\$3 or cop\$3) with lock adj object with first with second	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 12:56
S4	2	"20010056425".pn. "20030004975".pn.	US-PGPUB	OR	ON	2008/01/06 12:46
S5	1	"20060101094".pn.	US-PGPUB	OR	ON	2008/01/06 13:04
S6	1	"5548750".pn.	USPAT	OR	ON	2008/01/06 13:05
S7	5370	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) with (grant\$3 or allow\$3) near access	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 18:38
S8	722	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) with (grant\$3 or allow\$3) near access and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:40
S9	0	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) with (grant\$3 or allow\$3) near access same lock adj object and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:41
S10	8	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) with (grant\$3 or allow\$3) near access same lock and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:43

EAST Search History

S11	17	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) with (grant\$3 or allow\$3) near2 access same lock and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:48
S12	7	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) with (grant\$3 or allow\$3) near2 access and lock near object and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:47
S13	21	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) with (grant\$3 or allow\$3) near2 access and lock near object	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:47
S14	1319	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) same (grant\$3 or allow\$3) near2 access same lock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:48
S15	1	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) same (grant\$3 or allow\$3) near access same lock adj object	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:49
S16	7	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) same (grant\$3 or allow\$3) near access same lock with first with second with location	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:50
S17	1	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) same (grant\$3 or allow\$3) near3 access same lock with first with second with location and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:54

EAST Search History

S18	1	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) same (grant\$3 or allow\$3) near2 (access or request) same lock with first with second with location and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:54
S19	0	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) same (grant\$3 or allow\$3) near2 (access or request) same lock with first near (location or object) same lock with second near (location or object) and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:55
S20	0	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) same (grant\$3 or allow\$3) near2 (access or request) same lock with first near (location or object) same lock with second near (location or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:56
S21	1	(grant\$3 or allow\$3) near2 (access or request) same lock with first near (location or object) same lock with second near (location or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:56
S22	32	(grant\$3 or allow\$3) near2 (access or request) same lock with first with (location or object) same lock with second with (location or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:56
S23	9	(grant\$3 or allow\$3) near2 (access or request) same lock with first with (location or object) same lock with second with (location or object) and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:59
S24	1	check\$3 near3 lock\$3 with first with second with location and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:00

EAST Search History

S25	25	check\$3 near3 lock\$3 with location and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:03
S27	7	first adj lock near4 (id or rid) same second adj lock near4 (id or rid) and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:04
S28	126	first adj lock same second adj lock and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:07
S29	8	first adj lock with (id or rid) same second adj lock with (id or rid) and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:04
S30	15	(grant\$3 or allow\$3) near3 (access) same first adj lock same second adj lock and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:08
S31	32	(grant\$3 or allow\$3) near3 (access) same first adj (location or row or object) same second adj (location or row or object) and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:11
S32	13	(grant\$3 or allow\$3) near3 (access) with first adj (location or row or object) same second adj (location or row or object) and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:09

EAST Search History

S33	12	(grant\$3 or allow\$3) near3 (access) with first adj (location or row or object) with second adj (location or row or object) and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:09
S34	2	(grant\$3 or allow\$3) near3 (access) same first adj (location or row or object) same second adj (location or row or object) same lock and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:15
S35	17	(read or write or access\$3) same first adj (location or row or object) same second adj (location or row or object) same lock and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:44
S36	0	(read or write or access\$3) same (copy or duplicate) with ("same" or shared) with (gid or rid or id) with (location or row or object) same lock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:45
S37	0	(read or write or access\$3) same (copy or duplicate) with ("same" or shared) with (gid or rid or id) same (location or row or object) same lock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:46
S38	68	(read or write or access\$3) same (copy or duplicate) with ("same" or shared) with (gid or rid or id) same (location or row or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:46
S39	15	(read or write or access\$3) same (copy or duplicate) with ("same" or shared) with (gid or rid or id) with (location or row or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:47

EAST Search History

S40	4	(read or write or access\$3) same (copy or duplicate) with ("same" or shared) with (gid or rid or id) with (location or row or object) and lock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:47
S41	8	(read or write or access\$3) same (copy or duplicate) with ("same" or shared) with (gid or rid or id) with (location or row or object) and lock\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 16:48
S42	79	first adj lock same second adj lock and ("707".clas. or "709".clas. or "711". clas.)	USPAT	OR	OFF	2008/01/06 17:06
S43	1	first adj lock same second adj lock same ("same" or common) near (location or memory or object) and ("707".clas. or "709".clas. or "711". clas.)	USPAT	OR	OFF	2008/01/06 17:06
S44	66	first adj lock with second adj lock and ("707".clas. or "709".clas. or "711". clas.)	USPAT	OR	OFF	2008/01/06 17:16
S45	1	(t-lock or temporary adj lock) same (p-lock or permanent adj lock) and ("707".clas. or "709".clas. or "711". clas.)	USPAT	OR	OFF	2008/01/06 17:10
S46	9	(t-lock or temporary adj lock) same (p-lock or permanent adj lock) and ("707".clas. or "709".clas. or "711". clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 17:10
S47	1	"6944615".pn.	USPAT	OR	OFF	2008/01/06 17:10
S48	10	(t-lock or conditional adj lock) same (p-lock or permanent adj lock) and ("707".clas. or "709".clas. or "711". clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 17:15

EAST Search History

S49	38	(p-lock or permanent adj lock) and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 17:11
S50	1	((temporary or conditional) adj lock) same (p-lock or permanent adj lock) and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 17:15
S51	1	((temporary or conditional) adj lock) same (p-lock or permanent adj lock) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 17:15
S52	36	((temporary or conditional) adj lock) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 17:15
S53	0	first adj lock with second adj lock with ("same") near (id or rid or location) and ("707".clas. or "709".clas. or "711".clas.)	USPAT	OR	OFF	2008/01/06 17:16
S54	0	first adj lock with second adj lock with ("same") near (id or rid or location) and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 17:17
S55	10	first adj lock with second adj lock with (id or rid or location) and ("707".clas. or "709".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 17:17

EAST Search History

S56	22	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) with (grant\$3 or allow\$3) near access and 707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 18:38
S57	2	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) with (grant\$3 or allow\$3) near access same lock and 707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 18:38
S58	2	(backup or back-up or archiv\$3 or transfer\$4 or mov\$3) with (grant\$3 or allow\$3) near access same lock\$3 and 707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 18:38